

REFERENCES

Bannon, H, Veneziano D (1982) Seismic safety of reinforced concrete members and structures. *Earthquake Engineering and Structural Dynamics*, 10 (4): 179-193.

Bracci JM, Reinhorn AM, Mander JB, Kunnath SK (1989) Deterministic model for seismic damage evaluation of RC structures. Technical Report NCEER-89-0033.

Carr AJ (2001) RUAUMOKO – Program for inelastic dynamic analysis. Department of Civil Engineering, University of Canterbury, Christchurch.

Chopra AK (2001) *Dynamics of structures: theory and applications to earthquake engineering*. Prentice-Hall Inc., Upper Saddle River, New-Jersey.

Christopoulos C, Filiatrault A (2006) *Principles of supplemental damping and seismic isolation*. IUSS Press, Milan, Italy.

Clough RW, Penzien J (1995), *Dynamics of structures*. Computers and Structures Inc., Berkely, California.

Cosenza E, Manfredi G, Ramasco R (1993) The use of damage functionals in earthquake engineering: a comparison between different methods. *Earthquake Engineering & Structural Dynamics* 22: 855-868.

Deierlein GG, Reinhorn AM, Willford MR (2010) *Nonlinear structural analysis for seismic design: a guide for practicing engineers*. NEHRP Seismic Design Technical Brief No.4

FEMA 356 (2000) *Prestandard and Commentary for the seismic rehabilitation of buildings*. Federal Emergency Management Agency, Washington DC.

Giberson MF (1967) *The response of nonlinear multy-story structures subjected to earthquake excitation*. California Institute of Technology, Pasadena, California

Gluck N, Reinhorn AM, Gluck J, Levy R (1996) Design of Supplemental Dampers for Control of Structures. *J. of Structural Engineering*, ASCE 122 (12): 1394-1399.

Goel RK (1998) Effects of supplemental viscous damping on seismic response of asymmetric-plan systems. *Earthquake Engineering and Structural Dynamics* 27 (2): 125-141.

Goel RK (2001) Simplified analysis of asymmetric structures with supplemental damping. *Earthquake Engineering and Structural Dynamics* 30 (9): 1399-1416.

Jeong GD, Iwan WD (1998) Effect of earthquake duration on the damage of structures. *earthquake Engineering and Structural Dynamics* 16 (8): 1201-1211.

Krawinkler H, Zohrei M (1983) Cumulative damage in steel structures subjected to earthquake ground motions. *Computers & Structures* 16: 531-541.

Lavan O, Levy R (2005) Optimal design of supplemental viscous dampers for irregular shear frames in the presence of yielding. *Earthquake Engineering and Structural Dynamics* 34: 889-907.

Lavan O, Levy R (2006a) Optimal design of supplemental viscous dampers for linear framed structures. *Earthquake Engineering and Structural Dynamics* 35: 337-356.

Lavan O, Levy R (2006b) Optimal peripheral drift control of 3D irregular framed structures using supplemental viscous dampers. *Journal of Earthquake Engineering* 10 (6), 903-923.

Lavan O, Levy R (2009) Simple iterative use of Lyapunov solution for the linear optimal seismic design of passive devices in framed buildings. *Journal of Earthquake Engineering* 13 (5), 650-666.

Levy R, Lavan O (2006) Fully stressed design of passive controllers in framed structures for seismic loadings. *Struct. Multidisc. Optim.* 32 (6), 485-498.

Levy R, Lavan O (2009) Quantitative comparison of optimization approaches for the design of supplemental damping in earthquake engineering practice. *Journal of Structural Engineering* 135 (3), 321-325.

Lopez-Garcia D (2001) A simple method for the design of optimal damper configurations in MDOF structures. *Earthquake Spectra* 17 (3): 387-398.

Manson SS (1965) Fatigue: a complex subject-some simple approximations. *Exp. Mech* 5: 193-226.

Miner MA (1945) Cumulative damage in fatigue. *J. of Appl. Mech., ASME* 12: 159-164.

Ohtori Y, Christenson RE, Spencer BF, Dyke SJ (2004) Benchmark control problem for seismically excited nonlinear buildings. *Journal of Engineering Mechanics, ASCE* 130(4) 366-385

Park YJ, Ang AHS, Wen YK (1985) Seismic damage analysis of reinforced concrete buildings. *Journal of Structural Engineering, ASCE* 111: 740-757.

Shukla AK, Datta TK (1999) Optimal use of viscoelastic dampers in building frames for seismic force. *J. of Structural Engineering: ASCE*, 125 (4): 401-409.

Singh MP, Moreschi LM (2001) Optimal seismic response control with dampers. *Earthquake Engineering and Structural Dynamics*, 30 (4): 553-572.

Singh MP, Moreschi LM (2002) Optimal placement of dampers for passive response control. *Earthquake Engineering and Structural Dynamics*, 31 (4): 955-976.

Soong TT, Dargush GF (1997) *Passive energy dissipation systems in structural engineering*. John Wiley & Sons Ltd., Chichester.

Stephens JE, Yao JTP (1987) Damage assessment using response measurements, *Journal of Structural Engineering*, ASCE 113 (4): 787-801.

Takewaki I (1997) Optimal damper placement for minimum transfer function. *Earthquake Engineering and Structural Dynamics* 26 (11): 1113-1124.

Takewaki I, Yoshitomi S (1998) Effects of support stiffnesses on optimal damper placement for a planar building frame. *The Structural Design of Tall Buildings*,7: 323-336.

Takewaki I, Yoshitomi S, Uetani K, Tsuji M (1999) Non-monotonic optimal damper placement via steepest direction search. *Earthquake Engineering and Structural Dynamics* 28 (6): 655-670.

Williams MS, Sexsmith RG (1995) Seismic damage indices for concrete structures: a state of the art review. *Earthquake Spectra*, 11(2)

Zhang RH, Soong TT (1992) Seismic design of viscoelastic dampers for structural applications. *J. of Structural Engineering*, ASCE 118 (5): 1375-1392.

Zhou K, Doyle JC, Glover K (1996) *Robust and optimal control*. Prentice hall, Englewood cliffs, New Jersey